



NUANZA

Inspired by the shades of earth, stone and plants, the Nuanza range brings the colours of nature into the heart of the workplace.


With its fluid, structured arch-leg design, **Nuanza** creates calm, contemporary environments that promote everyday well-being and harmony. Its rounded-corner tops and coloured edging add an extra ergonomic dimension, providing greater comfort and safety in use.





Multi-workstation
Peach - White

Watch NUANZA video



Scan the QR Code

**Single desk with return
and desk high pedestal**
Shadow - Bleached Oak




COLLABORATIVE DESKS

Single desks on B-box consoles
Peach - Bleached Oak - White



Rounded corners and top edging matching the leg finish




Top fitted with a 3 cm scalloped edge for cable management



Adjustment with transparent screw feet


CHARACTERISTICS



Metal legs and top edging



Tops and console B-box
MFC finishes



Top

25 mm thick Structorex® melamine-coated panel. 2 mm thick shock-proof ABS edging matching the leg finish.

In back-to-back configuration, a 3 cm gap is provided between the tops for a screen divider or to feed cable.

Adjustment

Adjustment with Ø 50 mm transparent screw feet, 20 mm range, to compensate for any unevenness in the floor.

Legs

Round metal arch legs Ø 50 mm. The assembly is connected by a central steel beam with epoxy fine texture.

In multi-workstation version, the arch leg of the add-on unit is recessed to move easily from one workstation to another.

Fixed legs H 74 cm or mechanically height-settable height-settable of 62,5 cm to 92,5 cm for single desks.



Download the
data sheet



NUANZA



Single desk

Electrification

Tops fitted with a 3 cm scalloped edge and 2 Ø 80 mm part drilled cable ports.

Standard or electrified cable ports available as an option.

Nuanza is also available in a multi-workstation version with sliding tops for easy access to cables and electrical connections.


Multi-workstation

B-box

Single desks available with the B-box return console (dim. L 140 / D 55 / H 59,5 cm).

Positioned on the right or left of the desks, B-box is made up of 2 compartments L 67,5 cm / D 49,5 cm fitted with an adjustable shelf.

Sliding pen tray available as an option. Design handle as standard.



Metal legs and top edging




Tops, structure, door and fittings
B-box console MFC finishes



* Door and fittings console B-box

SINGLE DESKS



D 60 CM



D 80 CM

	Dim. (cm)	Ref.	Finish leg	Top finish	Ref.	Finish leg	Top finish
Straight desks H 74 cm	L 120	EK00	+	+	EK03	+	+
	L 140	EK01	+	+	EK04	+	+
	L 160	EK02	+	+	EK05	+	+
	L 180	—	—	—	EK06	+	+

	Dim. (cm)	Ref.	Leg finish	Top finish
Extensions / Returns On 2 support legs H 74 cm	D 60 / L 80	EK07	+	+
	D 60 / L 100	EK08	+	+


SINGLE DESKS on B-box console

	Dim. (cm) of main station	Total dimensions (cm)	Ref.	Finish leg	Top and B-box structure finish	Door and fittings B-box finish
Straight desks D 80 / H 74 cm on B-box console The B-box console can be positioned on the right or left	D 80 / L 140	D 140 / L 188	EK09	+	+	+
	D 80 / L 160	D 140 / L 208	EK10	+	+	+
	D 80 / L 180	D 140 / L 228	EK11	+	+	+

Design handle finish matching the legs

► Options

Universal single metal cable tray
To be fixed under the tops with
wood screws
D 12 / H 11 cm



Description

Dim. (cm)

○ WHITE
Ref.

● BLACK
Ref.

For L 120 / L 140 cm desk
for L 160 cm desk
for L 180 cm desk

1 unit = L 48,5
2 units = L 96,5
3 units = L 144,5

EG917S
EG927S
EG937S

EG915G
EG925G
EG935G




SLIM MOBILE PEDESTAL



Slim mobile pedestal MFC finishes


Design handle 

	Dim. (cm)	Description	Ref.	Pedestal finish	Handle finish
Slim mobile pedestal with front panel Pen tray included. Design handle. 	D 55 / H 60 / L 32	2 drawers including 1 mini internal drawer H 6 cm with pen tray + box drawer H 20 cm	EK12	+ 	+ 

DESK-HEIGHT PEDESTALS with tops


Pedestals and tops
MFC finishes



Top edging plain finishes

D 60 - D 80 cm	Dim. (cm)	Description	Ref.	Pedestal finish	Finish top edging
Desk high pedestals H 74 / L 42 cm Top L 50 cm 	D 60	3 drawers, including 1 Lateral filing drawer	EK96	+ 	+ 
		4 box drawers	EK14	+ 	+ 
	D 80	3 drawers, including 1 Lateral filing drawer	EK97	+ 	+ 
		4 box drawers	EK16	+ 	+ 

Design handles matching the top edging




BeSoft fabric screen colours



Step Melange fabric screen colours

Acoustic upholstered **FRONT SCREENS****Front screens - To be fixed**

**Front screens
to be fixed***
H 40 cm



* add the attachment metal clamps corresponding to your requirement

Description	Dim. (cm)	Ref.	Finish
for L 120 cm desk	D 2,5 / H 40 desk-mounted / L 120	EB003	+
for L 140 cm desk	D 2,5 / H 40 desk-mounted / L 140	EB013	+
for L 160 cm desk	D 2,5 / H 40 desk-mounted / L 160	EB023	+
for L 180 cm desk	D 2,5 / H 40 desk-mounted / L 180	EB033	+

► **Clamps required**


Description		Ref.	Finish
for single desks. Set of 2		DS36	+
Metal attachment clamps for front screens	For fixed multi-workstations. Set of 2	DS37	+
For sliding multi-workstations. Set of 2		DS38	+



Clamps and free-standing metal brackets

Side screens - Free-standing

**Side screens
freestanding**
H 40 cm



Description	Dim. (cm)	Ref.	Finish
for D 60 cm desk	D 2,5 / H 40 desk-mounted / L 60	EL113	+
for D 80 cm desk	D 2,5 / H 40 desk-mounted / L 80	EA913	+
Free-standing metal brackets Set of 2	For free-standing side screen	DP97	+




MELAMINE-COATED SUSPENDED MODESTY PANELS



— Metal brackets —

— Suspended modesty panels —
MFC finishes

Suspended modesty panels

H 30 cm
H 35 cm desk mounted

Dim. (cm)


Ref.

Bracket
finishModesty panel
finishL 90 for L 120 desk
L 110 for L 140 desk
L 130 for L 160 desk
L 150 for L 180 deskAR00
AR01
AR02
AR03+
+
+
+ +
+
+
+

UPHOLSTERED SUSPENDED MODESTY PANELS

— Suspended modesty panels —
BeSoft fabric— Suspended modesty panels —
Step Melange fabric

Suspended modesty panels

H 30 cm
H 35 cm desk mounted
Non-visible fixing brackets, black finish

Dim. (cm)


Ref.

Modesty panel
finishL 90 for L 120 desk
L 110 for L 140 desk
L 130 for L 160 desk
L 150 for L 180 deskEG495
EG505
EG515
EG525+
+
+
+ Range compatible with all accessories featured in our
general catalogue (Electrification and Ergonomics).

**Square meeting tables,
starter and add-on units**
Horizon - White





**Multi-workstation,
starter and add-on units**
White - Nebraska



NUANZA




MULTI-WORKSTATIONS with fixed tops



		Dim. (cm)	Ref.	Finish leg	Finish top	Ref.	Finish leg	Top finish
2 back to back desks Starter unit H 74 cm		L 120	EK17	+ ☐	+ ☐	EK20	+ ☐	+ ☐
		L 140	EK18	+ ☐	+ ☐	EK21	+ ☐	+ ☐
		L 160	EK19	+ ☐	+ ☐	EK22	+ ☐	+ ☐
		L 180	—	—	—	EK23	+ ☐	+ ☐
2 back to back desks Add-on unit H 74 cm		L 120	EK24	+ ☐	+ ☐	EK27	+ ☐	+ ☐
		L 140	EK25	+ ☐	+ ☐	EK28	+ ☐	+ ☐
		L 160	EK26	+ ☐	+ ☐	EK29	+ ☐	+ ☐
		L 180	—	—	—	EK30	+ ☐	+ ☐

► Options

**Double metal
cable trays**
D 33,5 / H 9 cm
Internal H 4,5 cm



Dim. (cm)

L 75 for L 120 desk
L 95 for L 140 desk
L 115 for L 160 desk
L 135 for L 180 desk


● BLACK

Ref.

DZ135G
DW765G
DW775G
DW785G



How to order ? 2 back to back desks D 123 / L 140 cm, starter unit, **White** legs and top edging, **Yukon** top MFC finish = EK18 + ☐ 7 ☐ Y ☐






Metal legs and top edging



Tops MFC finishes


MULTI-WORKSTATIONS with sliding tops




	Dim. (cm)	Ref.	Finish leg	Finish top	
2 back to back desks Starter unit H 74 cm Metal cable tray included		L 120	EK31	+ 	+ 
		L 140	EK32	+ 	+ 
		L 160	EK33	+ 	+ 
		L 180	EK34	+ 	+ 
2 back to back desks Add-on unit H 74 cm Metal cable tray included		L 120	EK35	+ 	+ 
		L 140	EK36	+ 	+ 
		L 160	EK37	+ 	+ 
		L 180	EK38	+ 	+ 

► Option

	Description	○ WHITE	● BLACK
		Ref.	Ref.
Spine cable channel Fixed height	Articulated PVC universal spine cable channel To be fixed under the tops with wood screws. H 80 cm.	AC417S	AC415G






Metal legs and top edging




Tops MFC finishes

NUANZA




WITHOUT TOP ACCESS HATCH

Tops fitted with 2 part drilled cable ports Ø 80 mm



WITH DOUBLE OPENING TOP ACCESS HATCH



Tops fitted with 1 double opening Top Access hatch



WITH ELECTRICAL EQUIPMENT

Tops fitted with 1 built-in electrical socket strip (3 power outlets + USB A/C)

Square MEETING TABLES

		Dim. (cm)	Ref.	Finishes	Ref.	Finishes	Ref.	Finishes
Square tables Starter unit H 74 cm		D 123 / L 120 (seats 4)	EK45	+ 	EK49	+ 	EK98	+ 
		D 163 / L 160 (seats 6)	EK46	+ 	EK50	+ 	EK99	+ 
Square tables Add-on unit H 74 cm		D 123 / L 120 (seats 4)	EK47	+ 	EK51	+ 	EL00	+ 
		D 163 / L 160 (seats 4)	EK48	+ 	EK52	+ 	EL01	+ 

► Options


Description

 **WHITE**
Ref.

 **BLACK**
Ref.

Universal single metal cable tray

To be fixed under the tops with wood screws
D 12 / H 11 cm




For L 120 cm desk. 1 unit = L 48,5 cm
For L 160 cm desk. 2 units = L 96,5 cm

EG917S
EG927S

EG915G
EG925G

UK cable port power module

UK power socket + 1 USB A socket 5v
+ 1 USB C socket 5v
With a 2 m power supply cable



Ø 91 mm
Fitted into the Ø 80 mm cable port
of desk

DX877S

DX875G

QUIÉTUDE

H 104 cm cupboards with hinged doors with 4-round-metal-leg base
White structure - Bleached Oak top and doors - Sage base and design handles



H 201 cm cupboards with hinged doors on glides
White structure - Sage doors - White design handles

CHARACTERISTICS




Structures, shelves, tops and doors
MFC finishes




Doors plain finishes


H 72 cm storage




H 104 cm storage



H 136 cm storage



H 201 cm storage - (H 203 cm with optional finishing top)



Front view

Side view

Structure

Structure made of 16 mm Structurex® melamine-coated panels, top 25 mm thick. 2 mm thick shock-proof ABS edging.

Shelves

Shelves made of 25 mm thick Structurex® melamine-coated panels or 0.6 mm thick metal shelves in aluminium lacquered epoxy finish for lateral filing, depending on version.

Storage sides part drilled for tool-free installation of the shelves.

Shelves adjustable in steps of 32 mm, internal depth 36 cm

Adjustment

Adjustable feet to compensate for any unevenness in the floor and allow adjacent units to be aligned.

Feet are adjustable from inside the units.



Download the
data sheet



Hinged doors and handles

Doors made in 16 mm Structurex® melamine-coated panels. 2 mm thick shock-proof ABS edging.

Doors equipped with 100° opening metal hinged with soft close system and design handles.



Lock

Hinged doors have a 3-point locking system. The lock comes with an interchangeable cylinder and is supplied with two keys, one folding.

H 201 cm
cupboard
on screw feet

H 136 cm
cupboard
on screw feet

H 104 cm
cupboard
on 4-metal-leg base

H 72 cm
cupboard
on 4-metal-leg base

Option: metal base

H 20 cm metal base on 4 round legs Ø 50 mm and transparent levelling feet Ø 50 mm.

Roll-out filing frame

Optional roll-out filing frame. Recommendations : 1 frame per 72 cm high storage unit; 2 frames per 104 cm high and 136 cm high storage unit and 3 frames per 201 cm high storage unit. 3 frames per H 201 cm storage unit.





QUIÉTUDE






How to configure your storage units ?



L 80 CM



L 100 CM

STORAGE to combinations

Select structures, tops, doors and handles

1 Structures

H 69,5 cm storage

D 48 cm

Finishing top 2 required



Open - 1 Structurex® shelf

Ref. BH693

Finish +

Ref. BH703

Finish +

H 101,5 cm storage

D 48 cm

Finishing top 2 required



Open - 2 Structurex® shelves

Ref. BH733

Finish +

Ref. BH743

Finish +

Open - 2 metal Lateral filing shelves

Ref. BH753

Finish +


Ref. BH763

Finish +

H 133,5 cm storage

D 48 cm

Finishing top 2 required



Open - 2 Structurex® shelves

Ref. BH773

Finish +

Ref. BH783

Finish +

Open - 3 metal Lateral filing shelves

Ref. BH793

Finish +

Ref. BH803

Finish +

H 201 cm storage

D 45,5 cm

Finish top not mandatory



Open - 4 Structurex® shelves

Ref. BH813

Finish +

Ref. BH823

Finish +

Open - 4 metal Lateral filing shelves

Ref. BH833

Finish +

Ref. BH843

Finish +

Open - for low hinged doors bookcase

Ref. DR163

Finish +

Ref. DR173

Finish +

2 Tops

Description

Ref.

Finish

Ref.

Finish

L 80 or L 100 cm. For 1 storage unit L 80 or L 100 cm

Ref. BH713

Finish +

Ref. BH723

Finish +

Common finishing tops



L 160 or L 200 cm. For 2 storage units L 80 or L 100 cm each

Ref. BJ083

Finish +

Ref. BJ103

Finish +

Not available in L 300 cm version


L 240 cm. For 3 storage units L 80 cm each

Ref. BJ093

Finish +

—

—



QUIÉTUDE



STORAGE combinations

Select structures, tops, doors and handles




L 80 CM



L 100 CM

3 Doors


**2 Structurex®
hinged doors**
For open storage
Without handles



Description	Ref.	Finish	Ref.	Finish
For H 72 cm storage and H 201 cm bookcase	EH783	+	EH823	+
For H 104 cm storage	EH793	+	EH833	+
For H 136 cm storage	EH803	+	EH843	+
For H 201 cm storage unit	EH813	+	EH853	+

4 Handles

Set of 2 handles



Description	Ref.	Handle finish
Design metal handles	DX21	+

NEW

► Option

**4 Ø 50 mm round
metal leg base**




Description	Ref.	Finish	Ref.	Finish
H 20 / L 77,5 - 97,5 cm	EK76	+	EK77	+

Not available for H 201 cm storages



► Option

Fabric back panel
To be attached to the
back of the storage
units



Description	Ref.	Fabric finish	Ref.	Fabric finish
For H 104 cm storage	EH103	+	EH123	+
For H 136 cm storage unit	EH113	+	EH133	+



How to order ? 2 hinged doors for H 104 cm, L 80 cm storage unit, **White** finish and 2 **Horizon** design handles = EH793 + and DX21 +

QUIÉTUDE


H 104 cm sliding door credenza on 4-leg metal base
White structure - Bleached Oak doors and fittings - White design handles - White base



CHARACTERISTICS




— Structure, doors and fittings credenzas —
MFC finishes




* Doors and fittings credenzas


H 72 cm sliding doors credenzas




H 104 cm sliding doors credenzas



H 136 cm sliding doors credenzas



H 160 cm sliding doors credenza



Front view

Side view

Structure

Structures made of 16 mm thick Structurex®, tops made of 25 mm thick Structurex® melamine-coated panels. 2 mm thick shock-proof ABS edging.

Doors and handles


Doors made of 16 mm thick Structurex® melamine-coated panel. 2 mm thick shock-proof ABS edging. Sliding doors mounted on plastic rails and fitted with design handles.



Same characteristics as sliding doors credenzas L 120 cm, except the shelves

Shelves

Shelves made of 16 mm thick melamine-coated panels for H 72 cm credenza (finish matching the storage unit) and 25 mm thick for H 104 and H 136 cm credenza, white finish. Credenza sides pre-drilled for tool-free installation of the shelves. Shelves L 68,8 / L 78,8 cm positioned on each side of the central divider.



Download the data sheet

L 120 cm sliding doors credenzas



H 160 cm
on 4-metal-leg base

H 136 cm
on screw feet

H 104 cm
on screw feet

L 143 / 163 cm sliding doors credenzas



H 136 cm
on screw feet

H 104 cm
on 4-metal-leg base

H 72 cm
on screw feet

Shelves
Shelves L 120 cm made of 0.6 mm thick metal in aluminium lacquered epoxy finish for lateral filing.

Adjustment
Adjustable screw feet to compensate for any unevenness in the floor and align several units of the same height more easily. The screw feet are adjusted from inside the units.
Option : H 20 cm metal base on 4 round legs Ø 50 mm and transparent levelling feet.


Lock
Sliding doors equipped with one 1-point lock. 2 keys including one folding.

QUIÉTUDE






— Structure, doors and fittings credenzas
MFC finishes —



* Doors and fittings credenzas



Design handles D

Sliding doors **CREDENZAS**

L 120 cm	Description	Ref.	Structure finish	Door and fittings finish	Handle type	Handle finish
 Sliding doors credenzas D 48 cm	H 104 cm 2 metal Lateral filing shelves <i>For 2 levels of lateral files or binders.</i>	EK87	+	+	+	+
	H 136 cm 3 metal Lateral filing shelves <i>For 3 levels of lateral files or binders.</i>	EK88	+	+	+	+
	H 160 cm 4 metal Lateral filing shelves <i>For 4 levels of lateral files or binders.</i>	EK89	+	+	+	+



BeSoft fabric



Step Melange fabric

Fabric back panel	Description	Ref.	Fabric finish
 L 120 cm fabric back panel To be fixed to the back of sliding doors credenzas	For H 104 cm credenzas	EH143	+
	for H 136 cm storage unit	EH153	+
	for H 160 cm storage unit	EH163	+

► Option - for sliding doors credenzas


Description	Ref.	Finish
 Optional shelf L 120 cm metal shelf	EH931K	—



— Structure, doors and fittings credenzas
MFC finishes —



* Doors and fittings credenzas



Design handles D

QUIÉTUDE



Wide sliding doors **CREDENZAS**

L 143 CM

L 163 CM

Description	Ref.	Structure finish	Doors and fittings finish	Handles type	Handles finish	Ref.	Finish structure	Doors and fittings finish	Handles type	Handles finish
H 72 cm 2 Structurex® shelves. For 1 level of binders	EK90	+	+	+ D	+	EK93	+	+	+ D	+
H 72 cm sliding doors credenzas D 48 cm Stand alone or at the end of bench desking										
H 104 cm 4 Structurex® shelves. For 2 levels of binders	EK91	+	+	+ D	+	EK94	+	+	+ D	+
H 136 cm 6 Structurex® shelves. For 3 levels of binders	EK92	+	+	+ D	+	EK95	+	+	+ D	+



— Metal base —

► Options - for sliding doors credenzas

Description	Ref.	Finish
4 Ø 50 mm round metal leg base H 20 / L 118,5 - 141,5 - 161,5 cm Adjustable screw feet		
For L 120 cm credenza	EK78	+
For L 143 cm credenza	EK79	+
For L 163 cm credenza	EK80	+

Riser kit 5 shoe pads



To raise H 72 cm credenzas up to H 74 cm

EL125G

Black

How to order ? H 72 / L 163 cm credenzas, **Yukon** structure MFC finish, **White** doors and fittings MFC finish, **White** design handles = EK93 + **Y** **S** **7**




EKO

Locker with 9 compartments with standard doors on 4-leg metal base
White structure - Horizon, White and Bleached Oak doors - White code lock handles



CHARACTERISTICS



Structure

One-piece lockers (4, 6, 9 or 12 compartments with structural back) made of 16 mm thick Structutex® melamine-coated panels. 2 mm thick shock-proof ABS edging.

Locker with 12 compartments

doors with mail slot and wardrobe doors on screw feet



Locker with 9 compartments

standard doors on 4-metal-leg base



Locker with 4 compartments

standard doors on melamine base



Lockers

Large capacity lockers, can hold a motorcycle helmet.
Internal dimensions of 1 compartment :
D 42,5 x H 37 x L 37 cm.

Adjustment

Adjustable screw feet of Ø 55 mm / H 2,5 cm range as standard to compensate for any unevenness in the floor.

Options: H 13,5 cm melamine base with adjustable screw feet or H 20 cm metal base on 4 round legs Ø 50 mm and transparent levelling feet.

Doors

Standard door (H 38 x L 38 cm), door with mail slot (H 35,5 x L 38 cm) or wardrobe door (H 76,5 x L 38 cm), made of 16 mm thick Structutex® melamine-coated panels.

Doors equipped with a code lock handle with personal mode (white or black) or public mode (black) or with a key lock.
Doors equipped with a soft close system and a label holder.

The wardrobe door features a coat hook.



Code lock handles



Personal mode

Public mode

Key lock




RFID lock




On request


Locker with 4 compartments




Screw feet



Screw feet




Melamine base




Metal base


Lockers with 6 / 9 compartments



Screw feet




Screw feet



Screw feet




Melamine base




Metal base


12-compartment locker



Screw feet



Screw feet



Melamine base




Metal base

EKO






EKO



OPEN LOCKER combinations


Select lockers, bases and doors

How to configure your Eko lockers?



① Open lockers

Open lockers
D 44,5 cm




Description	Dim. (cm)	Ref.	Structure finish
4 compartments	H 80,5 / L 78,5	DY133	+
6 compartments	H 119,5 / L 78,5	DN523	+
9 compartments	H 119,5 / L 117	DK123	+
12 compartments	H 157,5 / L 117	DK133	+

FOR LOCKERS WITH 4 AND 6 COMPARTMENTS

FOR LOCKERS WITH 9 AND 12 COMPARTMENTS

② Bases (optional)

Melamine-coated base
H 13,5 / L 73 - 111 cm
with screw feet



Ref. DN533 Base finish +



Ref. DK183 Base finish +

NEW

4 Ø 50 mm round metal leg base
H 20 / L 77,5 - 116 cm
with screw feet




Ref. EK74 Base finish +



Ref. EK75 Base finish +

How to order ? Open locker with 4 compartments, **White** structure finish and **Horizon** 4-metal-leg base = DY133 + **S** and EK74 + **13U**



EKO



OPEN LOCKER combinations

Select lockers, bases and doors




STANDARD DOORS H 38 CM



DOORS WITH MAIL SLOT H 36 CM

3 Doors (optional)

Set of 3 doors
with lock handles
For lockers with 6, 9 and 12 compartments



Types of locks

000 Code locks **personal mode**
0000 Code locks **public mode**
Key lock

Ref.

Doors finish

Locks finish

EE54 +
DZ43 +
DZ453 +

+
+ 5
—

Ref.

Doors finish


Locks finish

EE55 +
DZ44 +
DZ463 +

+
+ 5
—

Set of 4 doors

with lock handles
For lockers with 4 and 12 compartments



000 Code locks **personal mode**
0000 Code locks **public mode**
Key locks

EE56 +
DZ47 +
DZ493 +

+
+ 5
—

EE57 +
DZ48 +
DZ503 +

+
+ 5
—

3 Wardrobe door (optional)

Wardrobe door
H 76,5 cm. For 2 compartments
1 wardrobe door + 1 coat hook
Positioned on the height of 2 compartments



Description

000 Code locks **personal mode**
0000 Code locks **public mode**
Key lock

Ref.

Doors finish

Locks finish

EE58 +
DZ51 +
DZ523 +

+
+ 5
—



BeSoft fabric



Step Melange fabric


► Option

Description

Ref.

Fabric finish

Fabric back panel
To be attached to the back of the lockers



For locker with 4 compartments
For locker with 6 compartments
For locker with 9 compartments

EH173
EH183
EH193

+
+
+

Master keys

To mechanically reset the lock code or opening the key lock

For code locks personal mode



000

EE594Z

For code locks public mode



0000

DZ834Z

For key lock



DZ844Z


How to order ? Set of 4 standard doors, code locks personal mode, **Nebraska** doors MFC finish and **Black** lock handles finish = EE56 + **F** | **5**



PAPILLON Color Operator chairs

WARRANTY
5
YEARS

CHARACTERISTICS




Technical description

- Overall dimensions : D 70 / H 97,5-107,5 (without headrest) or H 116-126 cm (with headrest) .
- Seat dimensions : D 41-45 / H 43-53 / L 49,5 cm.
- Backrest structure in polypropylene equipped with a self-supporting mesh.
- **Automatic synchronous mechanism** (adapts to the weight of the user) with locking in 4 positions, 123° tilt.
- Height-adjustable **lumbar support** by mesh tension.
- **Seat depth adjustment** (range 4 cm).
- Seat made of cold injected foam (density 50 kg/m³, 50 mm thick).
- Upholstered with Step Melange or Step black fabric, 100% Trevira CS, M1 fire resistant, certified Oeko-Tex® or with Carla polyester fabric, fire classification M1.
- Nylon 5-star base with Ø 65 mm swivelling castors.
- **For the armchair: 4D armrests**, height-adjustable from 18 to 24,5 cm above the seat, «soft» polyurethane pads adjustable in depth and orientation.
- Adjustable headrest. Dim. H 18,5 / L 29 cm.
- Self-braking hard floor castors for Papillon Color and carpet castors for Papillon.
- Maximum permitted weight 130 kg.



Description	Ref.	Seat finish
Operator chair	EE495	+
Operator chair with armrests	EE505	+
► Option	Ref.	
Headrest	EE515G	



CHARACTERISTICS



PAPILLON Color Visitor chair

NEW

PEBBLE

SU

APRICOT

SW

SAGE

SR

SHADOW

SL


BLACK

Seat Step Melange fabric

- Mesh backrest -

Technical description

- Overall dimensions : D 60 / H 85 / L 60 cm.
- Seat dimensions : D 46 / H 46 / L 49 cm.
- Backrest with polypropylene structure and black self-supporting mesh.
- Seat made of cold injected foam (density 35 kg/m3).
- Upholstered with Step Melange or Step fabric, 100% Trevira CS, M1 fire resistant, certified Oeko-Tex®.
- Sled base made of Ø 25 mm round steel tube. Black epoxy finish.
- Finishing pads.
- Sleeves (L 22 x D 6,5 cm), black polypropylene armrests.
- Maximum authorised weight 110 kg.




Description	Ref.	Seat finish
Visitor chair with armrests	EE525	+ 
Set of 2 Visitor chairs with armrests	EE535	+ 



Technical description

Elytre - Folding conference chair

- Overall dimensions : D 59,5 / H 90,5 / L 65 cm.
- Seat dimensions : D 42,5 / H 47,5 / L 46 cm.
- Articulated backrest for improved lumbar support with polypropylene structure and self-supporting mesh.
- Folding chair with a lift-up seat, upholstered with Step Melange or Step black fabric, 100% Trevira CS M1 fire classification, Oeko-Tex® certified.
- Seat made of cold injected foam (density 50 kg/m3).
- Base in epoxy finish steel base with Ø 60 mm self-braking castors for hard floors.
- Polypropylene armrests included.
- Optional writing tablet in black polypropylene.
- Maximum permitted weight 130 kg.
- Chairs stackable up to 4 units and placed side by side horizontally when the seat is folded up.



Description	Ref.	Seat finish
Fixed folding meeting chair		
	EH755	+
Folding meeting chair on castors		
	EH765	+
► Option	Ref.	
Shelf D 24 / L 37 cm	EH775G	



Fixed-leg chair



Mobile chair